

Watts	Bulb	Base	Product Number	Symbols, Footnotes	Ordering Code	Pkg. Qty. •	Description	MOL (In.)	Avg. Hrs. Life (230)	Approx. Initial (231) Lumens	CRI
-------	------	------	----------------	--------------------	---------------	-------------	-------------	-----------	----------------------	------------------------------	-----

**Marathon® Lamps** Screw-in Compact Fluorescent—a direct replacement for incandescent, offering energy savings, high color rendering and long life. Lasts up to 10 times longer compared to standard incandescent bulbs Uses less energy, saving you money on your electric bill. Saves up to 70% in electricity costs compared to standard incandescent lamps. Gives off an incandescent-quality light. Has a flicker-free start Lasts up to 7 years! Most Marathon lamps are ENERGY STAR® qualified (217,218).

### Marathon® Mini-Decorative Twister

11	EL/mdT	Med.	13804-0	† \$	<b>Mini-Deco Twister EL/mdT 11</b>	6	Small, Decorative Shape (228) Energy Saving Substitute for 40W Incandescent Lamp	4 5/8	8000	675	82
15	EL/mdT	Med.	13363-7	† \$	<b>Mini-Deco Twister BC-EL/mdT 15</b>	6	Small, Decorative Shape/Blister (228) Energy Saving Substitute for 60W Incandescent Lamp	5 3/4	10,000	900	82
			13581-4	† \$	<b>Mini-Deco Twister EL/mdT 15</b>	6	Small, Decorative Shape (228) Energy Saving Substitute for 60W Incandescent Lamp	5 3/4	10,000	900	82
20	EL/mdT	Med.	13805-7	† \$	<b>Mini-Deco Twister EL/mdT 20</b>	6	Small, Decorative Shape (228) Energy Saving Substitute for 75W Incandescent Lamp	5 5/8	10,000	1250	82
27	EL/mdT	Med.	13715-8	† \$	<b>Mini-Deco Twister EL/mdT 27</b>	6	Small, Decorative Shape (228) Energy Saving Substitute for 100W Incandescent Lamp	5 5/8	8000	1750	82

### Marathon® Twister

20	EL/DT	Med.	38110-3	X \$	<b>Decorative Twister BC-EL/DT 20</b>	6	Decorative Shape/Blister (228) Energy Saving Substitute for 75W Incandescent Lamp	5 5/8	6000	1100	82
23	EL/DT	Med.	38111-1	X \$	<b>Decorative Twister BC-EL/DT 23</b>	6	Decorative Shape/Blister (228) Energy Saving Substitute for 90W Incandescent Lamp	5 13/16	6000	1400	82

### Marathon® Universal

15	SLS	Med.	37104-7	\$	<b>Universal SLS 15</b>	6	Ultra-Compact (216) Energy Saving Substitute for 60W Incandescent Lamp	4 13/16	10,000	900	82
			37105-4	\$	<b>Universal BC-SLS 15</b>	6	Ultra-Compact/Blister (216) Energy Saving Substitute for 60W Incandescent Lamp	4 13/16	10,000	900	82
20	SLS	Med.	37108-8	\$	<b>Universal SLS 20</b>	6	Long Life (216) Energy Saving Substitute for 75W Incandescent Lamp	5 3/8	10,000	1200	82
			37109-6	\$	<b>Universal BC-SLS 20</b>	6	Long Life/Blister (216) Energy Saving Substitute for 75W Incandescent Lamp	5 3/8	10,000	1200	82
25	SLS	Med.	37114-6	\$	<b>Universal SLS 25</b>	6	Long Life (216) Energy Saving Substitute for 100W Incandescent Lamp	6 3/16	10,000	1750	82
			37115-3	\$	<b>Universal BC-SLS 25</b>	6	Long Life/Blister (216) Energy Saving Substitute for 100W Incandescent Lamp	6 3/16	10,000	1750	82


### Marathon® Vanity Globe

12	EL/A G25	Med.	13072-4	† \$	<b>Vanity Globe BC-EL/A G25 12</b>	6	G25 Globe/Blister (216, 228) Energy Saving Substitute for 40W Incandescent Lamp	5 13/16	7000	480	82
----	----------	------	---------	------	------------------------------------	---	--	---------	------	-----	----

### Marathon® Décor Globe

16	EL/A G30	Med.	38854-6	\$	<b>Décor Globe EL/A G30</b>	6	G30 Globe (216, 228) Energy Saving Substitute for 60W Incandescent Lamp	5 13/16	7000	800	82
20	EL/A G40	Med.	38855-3	\$	<b>Décor Globe EL/A G40</b>	6	G40 Globe (216, 228) Energy Saving Substitute for 100W Incandescent Lamp	7 3/4	7000	1050	82


For the most current product information, go to [www.nam.lighting.philips.com/us/ecatalog/](http://www.nam.lighting.philips.com/us/ecatalog/)  
Compact Fluorescent symbols and footnotes located on page 77



Watts	Bulb	Base	Product Number	Symbols, Footnotes	Ordering Code	Pkg. Qty. •	Description	MOL (In.)	Avg. Hrs. Life (230)	Approx. Initial (231) Lumens	CRI
<b>Marathon® Reflector Flood</b>											
16	EL/A BR30	Med	13073-2	† \$	<b>Reflector Flood BC-EL/A BR30 16</b>	6	BR30 Reflector/Blister (216, 238) Energy Saving Substitute for 65W Incandescent Lamp	5 1/2	7000	590	82
<b>Marathon® Flood</b>											
15	SLS/R30	Med	37246-6	X \$	<b>Flood SLS/R30 15</b>	6	Snap-On Reflector (216) Energy Saving Substitute for 50W Incandescent Lamp	6	8000	500	82
	SLS/R40	Med	37256-5	\$	<b>Flood SLS/R40 15</b>	6	Snap-On Reflector (216) Energy Saving Substitute for 60W Incandescent Lamp	6 3/8	8000	625	82
20	SLS/R30	Med.	37248-2	X \$	<b>Flood SLS/R30 20</b>	6	Snap-On Reflector (216) Energy Saving Substitute for 55W Incandescent Lamp	6	8000	575	82
	SLS/R40	Med.	37262-3	\$	<b>Flood SLS/R40 20</b>	6	Snap-On Reflector (216) Energy Saving Substitute for 75W Incandescent Lamp	6 3/8	8000	825	82
<b>Marathon® Dimmable Flood</b>											
20	SLS/R30	Med.	38488-3	□ \$	<b>Dimmable Flood SLS/R30 20</b>	6	Dimmable Snap-On Reflector (216, 232) Energy Saving Substitute for 55W Incandescent Lamp	6 3/8	7000	575	82
	SLS/R40	Med.	38489-1	□ \$	<b>Dimmable Flood SLS/R40 20</b>	6	Dimmable Snap-On Reflector (216, 232) Energy Saving Substitute for 75W Incandescent Lamp	6 1/8	7000	800	82
<b>Marathon® Outdoor</b>											
15	EL/O	Med.	37118-7	\$	<b>Outdoor EL/O 15</b>	6	Translucent Cover (216) Energy Saving Substitute for 60W Incandescent Lamp	5 3/8	10,000	800	82
			37119-5	\$	<b>Outdoor BC-EL/O 15</b>	6	Translucent Cover/Blister (216) Energy Saving Substitute for 60W Incandescent Lamp	5 3/8	10,000	800	82
			28781-3	\$	<b>Outdoor EL/O DL50 15</b>	6	Daylight 50 (216) Energy Saving Substitute for 52W Incandescent Lamp	5 3/8	10,000	750	80
18	EL/O	Med.	37123-7	\$	<b>Outdoor EL/O 18</b>	6	Translucent Cover (216) Energy Saving Substitute for 75W Incandescent Lamp	6 7/8	10,000	1100	82
			13578-0	† \$	<b>Outdoor EL/O 18 ALTO</b>	6	Translucent Cover (216) Energy Saving Substitute for 75W Incandescent Lamp	6 3/8	10,000	1000	82
			37152-5	\$	<b>Outdoor BC-EL/O 18</b>	6	Translucent Cover/Blister (216) Energy Saving Substitute for 75W Incandescent Lamp	6 3/8	10,000	1100	82
<b>Marathon® Bug-A-Way</b>											
15	EL/O	Med.	37148-4	\$	<b>Bug-A-Way EL/O 15 BAW</b>	6	Yellow Cover (216) Energy Saving Substitute for 75W Incandescent Lamp	5 3/8	10,000	750	—
			37149-2	\$	<b>Bug-A-Way BC-EL/O 15 BAW</b>	6	Yellow Cover/Blister (216) Energy Saving Substitute for 75W Incandescent Lamp	5 3/8	10,000	750	—


For the most current product information, go to [www.nam.lighting.philips.com/us/catalog/](http://www.nam.lighting.philips.com/us/catalog/)  
Compact Fluorescent symbols and footnotes located on page 77

□ This product utilizes ALTO® Lamp Technology



Watts	Bulb	Base	Product Number	Symbols, Footnotes	Ordering Code	Pkg. Qty. •	Description	MOL (In.)	Avg. Hrs. Life (230)	Approx. Initial (231) Lumens	CRI
<b>Marathon® Mini-Household</b>											
16	EL/A mH	Med.	13070-8	† \$	<b>Mini-Household BC-EL/A mH 16</b>	6	Small, Incandescent-like Shape/Blister (216, 228) Energy Saving Substitute for 75W Incandescent Lamp	4 29/32	6000	800	82
<b>Marathon® Household</b>											
20	EL/A	Med.	37096-5	\$	<b>Household BC-EL/A 20</b>	6	Incandescent-like Shape/Blister (216, 228) Energy Saving Substitute for 60W Incandescent Lamp	6	6000	1100	82
<b>Marathon® 3-Way</b>											
34	EL/TW	Med.	37216-9	\$	<b>3-Way EL/TW 34</b>	6	50/100/150W Equivalents (216, 227, 236) Energy Saving Substitute for 3-Way Incandescent Lamp	6 3/8	7000	1100	82
			37219-3	\$						3-Way BC-EL/TW 34	6
<b>Marathon® Dimmable</b>											
23	SLS	Med.	37202-9	\$	<b>Dimmable BC-SLS/D 23</b>	6	Dimmable/Blister (216, 232, 233) Energy Saving Substitute for 90W Incandescent Lamp	6 3/8	10,000	1400	82
<b>Marathon® Table Lamp</b>											
34	EL/T	Med.	37082-5	\$	<b>Table Lamp EL/T 34</b>	6	High Light Output (216, 227, 236) Energy Saving Substitute for 120W Incandescent Lamp	6 3/8	7000	2100	82
			37084-1	\$						Table Lamp BC-EL/T 34	6
<b>Marathon® Lamp Anti-Theft Devices</b>											
			23671-1		<b>Locking Device SLS</b>	100	Bulk, one driver per case				
			23672-9	X	<b>Locking Device SLS/RH</b>	100	Bulk, one driver per case				

For the most current product information, go to [www.nam.lighting.philips.com/us/ecatalog/](http://www.nam.lighting.philips.com/us/ecatalog/)  
Compact Fluorescent symbols and footnotes located on page 77



CFL

# COMPACT FLUORESCENT LAMPS

PL-H, PL-S, PL-C Lamps

Watts	Bulb	Base	Product Number	Symbols, Footnotes	Ordering Code	Generic Designation	Pkg. Qty. •	Description	MOL (In.)	Avg. Hrs. Life (202)	Approx. Initial (203) Lumens	Design Lumens (208)	CRI
<b>PL-H High Fluorescent Lamps (204)</b>													
60	PL-H	2G8	13368-6		PL-H 60W/830/4P	TBD	10	3000K	7 1/4	20,000	4000	3440	82
			13369-4		PL-H 60W/841/4P	TBD	10	4100K	7 1/4	20,000	4000	3440	82
85	PL-H	2G8	13370-2		PL-H 85W/830/4P	TBD	10	3000K	8 25/32	20,000	6000	5160	82
			13371-0		PL-H 85W/841/4P	TBD	10	4100K	8 25/32	20,000	6000	5160	82
120	PL-H	2G8	13372-8		PL-H 120W/830/4P	TBD	10	3000K	11 13/16	20,000	9000	7740	82
			13373-6		PL-H 120W/841/4P	TBD	10	4100K	11 13/16	20,000	9000	7740	82

## PL-S Short Fluorescent Lamps (204)

5	PL-S	G23	33233-8	\$	PL-S 5W/827	CFT5W/G23/827	60	2700K	4 1/8	10,000	250	210	82			
			34256-8	\$	PL-S 7W/827	CFT7W/G23/827	60	2700K	5 1/4	10,000	400	340	82			
7	PL-S	G23	30663-9	\$	PL-S 7W/827	CFT7W/G23/827	50	2700K, Bulk	5 1/4	10,000	400	340	82			
			32780-9	\$	PL-S 7W/835	CFT7W/G23/835	60	3500K	5 1/4	10,000	400	340	82			
			33869-9	\$	PL-S 7W/841	CFT7W/G23/841	60	4100K	5 1/4	10,000	400	340	82			
			36809-2	\$	PL-S 7W/841	CFT7W/G23/841	50	4100K, Bulk	5 1/4	10,000	400	340	82			
			33384-9	\$	PL-S 7W/850	CFT7W/G23/850	60	5000K	5 1/4	10,000	380	320	82			
			9	PL-S	G23	34257-6	\$	PL-S 9W/827	CFT9W/G23/827	60	2700K	6 1/2	10,000	600	510	82
						30665-4	\$	PL-S 9W/827	CFT9W/G23/827	50	2700K, Bulk	6 1/2	10,000	600	510	82
						32786-6	\$	PL-S 9W/835	CFT9W/G23/835	60	3500K	6 1/2	10,000	600	510	82
						33870-7	\$	PL-S 9W/841	CFT9W/G23/841	60	4100K	6 1/2	10,000	600	510	82
						36810-0	\$	PL-S 9W/841	CFT9W/G23/841	50	4100K, Bulk	6 1/2	10,000	600	510	82
13	PL-S	GX23	26219-6	\$	PL-S 13W/827	CFT13W/GX23/827	60	2700K	7	10,000	825	700	82			
			26212-1	\$	PL-S 13W/827	CFT13W/GX23/827	50	2700K, Bulk	7	10,000	825	700	82			
			26202-2	\$	PL-S 13W/830	CFT13W/GX23/830	60	3000K	7	10,000	825	700	82			
			26214-7	\$	PL-S 13W/835	CFT13W/GX23/835	60	3500K	7	10,000	825	700	82			
			26213-9	\$	PL-S 13W/841	CFT13W/GX23/841	60	4100K	7	10,000	825	700	82			
			26229-5	\$	PL-S 13W/841	CFT13W/GX23/841	50	4100K, Bulk	7	10,000	825	700	82			
26216-2	\$	PL-S 13W/850	CFT13W/GX23/850	60	5000K	7	10,000	800	680	82						

## PL-C Cluster 2-Pin Fluorescent Lamps


13	PL-C	GX23-2	38310-9	\$	PL-C13W/827/USA/ALTO	CFQ13W/GX23/827	10	2700K	4 3/8	10,000	860	735	82
			38311-7	\$	PL-C13W/830/USA/ALTO	CFQ13W/GX23/830	10	3000K	4 3/8	10,000	860	735	82
			38312-5	\$	PL-C13W/835/USA/ALTO	CFQ13W/GX23/835	10	3500K	4 3/8	10,000	860	735	82
			38313-3	\$	PL-C13W/841/USA/ALTO	CFQ13W/GX23/841	10	4100K	4 3/8	10,000	860	735	82
			G24d-1	38314-1	\$	PL-C13W/827/ALTO	CFQ13W/G24d/827	10	2700K	5 1/2	10,000	900	770
38315-8	\$	PL-C13W/830/ALTO		CFQ13W/G24d/830	10	3000K	5 1/2	10,000	900	770	82		
18	PL-C	G24d-2	38316-6	\$	PL-C18W/827/ALTO	CFQ18W/G24d/827	10	2700K	6	10,000	1250	1070	82
			38317-4	\$	PL-C18W/830/ALTO	CFQ18W/G24d/830	10	3000K	6	10,000	1250	1070	82
			38318-2	\$	PL-C18W/835/ALTO	CFQ18W/G24d/835	10	3500K	6	10,000	1250	1070	82
			38319-0	\$	PL-C18W/841/ALTO	CFQ18W/G24d/841	10	4100K	6	10,000	1250	1070	82
26	PL-C	G24d-3	38321-6	\$	PL-C26W/827/ALTO	CFQ26W/G24d/827	10	2700K	6 1/8	10,000	1800	1545	82
			38322-4	\$	PL-C26W/830/ALTO	CFQ26W/G24d/830	10	3000K	6 1/8	10,000	1800	1545	82
			38323-2	\$	PL-C26W/835/ALTO	CFQ26W/G24d/835	10	3500K	6 1/8	10,000	1800	1545	82
			38324-0	\$	PL-C26W/841/ALTO	CFQ26W/G24d/841	10	4100K	6 1/8	10,000	1800	1545	82

## PL-C Cluster 2-Pin Fluorescent Lamps, 15mm Tube Diameter

20	PL-C	GX32d-2	20478-4	\$	PL-C15mm/22W/827	CFQ20W/GX32d/827	40	2700K	6	10,000	1200	995	82
27	PL-C	GX32d-3	20479-2	\$	PL-C15mm/28W/827	CFQ27W/GX32d/827	40	2700K	6 1/8	10,000	1600	1325	82

For the most current product information, go to [www.nam.lighting.philips.com/us/ecatalog/](http://www.nam.lighting.philips.com/us/ecatalog/)  
Compact Fluorescent symbols and footnotes located on page 77

■ This product utilizes ALTO® Lamp Technology



# COMPACT FLUORESCENT LAMPS

PL-C, PL-L, PL-T Lamps

Watts	Bulb	Base	Product Number	Symbols, Footnotes	Ordering Code	Generic Designation	Pkg. Qty. •	Description	MOL (In.)	Avg. Hrs. Life (202)	Approx. Initial (203) Lumens	Design Lumens (208)	CRI
<b>PL-C Cluster 4-Pin Fluorescent Lamps, Electronic Operation</b>													
13	PL-C	G24q-1	38325-7	\$	PL-C 13W/827/4P/ALTO	CFQ13W/G24q/827	10	2700K	5 3/8	12,000	900	775	82
			38326-5	\$	PL-C 13W/830/4P/ALTO	CFQ13W/G24q/830	10	3000K	5 3/8	12,000	900	775	82
			38327-3	\$	PL-C 13W/835/4P/ALTO	CFQ13W/G24q/835	10	3500K	5 3/8	12,000	900	775	82
			38328-1	\$	PL-C 13W/841/4P/ALTO	CFQ13W/G24q/841	10	4100K	5 3/8	12,000	900	775	82
18	PL-C	G24q-2	38329-9	\$	PL-C 18W/827/4P/ALTO	CFQ18W/G24q/827	10	2700K	5 1/2	12,000	1250	1075	82
			38330-7	\$	PL-C 18W/830/4P/ALTO	CFQ18W/G24q/830	10	3000K	5 1/2	12,000	1250	1075	82
			38332-3	\$	PL-C 18W/835/4P/ALTO	CFQ18W/G24q/835	10	3500K	5 1/2	12,000	1250	1075	82
			38333-1	\$	PL-C 18W/841/4P/ALTO	CFQ18W/G24q/841	10	4100K	5 1/2	12,000	1250	1075	82
26	PL-C	G24q-3	38334-9	\$	PL-C 26W/827/4P/ALTO	CFQ26W/G24q/827	10	2700K	6 1/2	12,000	1800	1550	82
			38335-6	\$	PL-C 26W/830/4P/ALTO	CFQ26W/G24q/830	10	3000K	6 1/2	12,000	1800	1550	82
			38336-4	\$	PL-C 26W/835/4P/ALTO	CFQ26W/G24q/835	10	3500K	6 1/2	12,000	1800	1550	82
			38337-2	\$	PL-C 26W/841/4P/ALTO	CFQ26W/G24q/841	10	4100K	6 1/2	12,000	1800	1550	82

## PL-L Long Fluorescent Lamps

18	PL-L	2G11	34500-9	\$	PL-L 18W/830/4P	FT18W/2G11/830	25	3000K	8 1/8	15,000	1250	1125	82
			35932-3	\$	PL-L 18W/835/4P	FT18W/2G11/835	25	3500K	8 1/8	15,000	1250	1125	82
			34501-7	\$	PL-L 18W/841/4P	FT18W/2G11/841	25	4100K	8 1/8	15,000	1250	1125	82
24	PL-L	2G11	34505-8	\$	PL-L 24W/830/4P	FT24W/2G11/830	25	3000K	12 1/8	15,000	1800	1620	82
			35933-1	\$	PL-L 24W/835/4P	FT24W/2G11/835	25	3500K	12 1/8	15,000	1800	1620	82
			34508-2	\$	PL-L 24W/841/4P	FT24W/2G11/841	25	4100K	12 1/8	15,000	1800	1620	82
36	PL-L	2G11	34511-6	\$	PL-L 36W/830/4P	FT36W/2G11/830	25	3000K	16 3/8	15,000	2900	2610	82
			34942-3	\$	PL-L 36W/835/4P	FT36W/2G11/835	25	3500K	16 3/8	15,000	2900	2610	82
			34513-2	\$	PL-L 36W/841/4P	FT36W/2G11/841	25	4100K	16 3/8	15,000	2900	2610	82
40	PL-L	2G11	30042-6	\$	PL-L 40W/830/4P/RS/IS	FT40W/2G11/RS/830	25	3000K	22 1/2	20,000	3300	2970	82
			30043-4	\$	PL-L 40W/835/4P/RS/IS	FT40W/2G11/RS/835	25	3500K	22 1/2	20,000	3300	2970	82
			30044-2	\$	PL-L 40W/841/4P/RS/IS	FT40W/2G11/RS/841	25	4100K	22 1/2	20,000	3300	2970	82
			13798-3	† \$	PL-L 40W/841/4P/RS/IS BULK	FT40W/2G11/RS/841	50	4100K	22 1/2	20,000	3300	2970	82
50	PL-L	2G11	34747-6	\$	PL-L 50W/830/4P/RS	FT50W/2G11/RS/830	25	3000K	22 1/2	20,000	4300	3870	82
			34753-4	\$	PL-L 50W/835/4P/RS	FT50W/2G11/RS/835	25	3500K	22 1/2	20,000	4300	3870	82
			34770-8	\$	PL-L 50W/841/4P/RS	FT50W/2G11/RS/841	25	4100K	22 1/2	20,000	4300	3870	82
55	PL-L	2G11	13844-6	† \$	PL-L 55W/950/4P/RS	FT55W/2G11/RS/950	25	5000K	21 3/8	20,000	3650	3358	91
80	PL-L	2G11	38697-9	\$	PL-L 80W/830/4P	FT80W/2G11/RS/830	25	3000K	22 1/2	20,000	6000	5400	82
			38698-7	\$	PL-L 80W/835/4P	FT80W/2G11/RS/835	25	3500K	22 1/2	20,000	6000	5400	82
			38699-5	\$	PL-L 80W/841/4P	FT80W/2G11/RS/841	25	4100K	22 1/2	20,000	6000	5400	82


## PL-T Triple 4-Pin Fluorescent Lamps

18	PL-T	GX24q-2	38437-0	\$	PL-T 18W/827/4P/ALTO	CFTR18W/GX24q/827	12	2700K	4 3/8	12,000	1200	1020	82
			26802-9	\$	PL-T 18W/830/4P/ALTO	CFTR18W/GX24q/830	12	3000K	4 3/8	12,000	1200	1020	82
			26820-1	\$	PL-T 18W/835/4P/ALTO	CFTR18W/GX24q/835	12	3500K	4 3/8	12,000	1200	1020	82
			26822-7	\$	PL-T 18W/841/4P/ALTO	CFTR18W/GX24q/841	12	4100K	4 3/8	12,000	1200	1020	82
26	PL-T	GX24q-3	38440-4	\$	PL-T 26W/827/4P/ALTO	CFTR26W/GX24q/827	12	2700K	5	12,000	1800	1530	82
			26823-5	\$	PL-T 26W/830/4P/ALTO	CFTR26W/GX24q/830	12	3000K	5	12,000	1800	1530	82
			26824-3	\$	PL-T 26W/835/4P/ALTO	CFTR26W/GX24q/835	12	3500K	5	12,000	1800	1530	82
			26825-0	\$	PL-T 26W/841/4P/ALTO	CFTR26W/GX24q/841	12	4100K	5	12,000	1800	1530	82
32	PL-T	GX24q-3	38443-8	\$	PL-T 32W/827/4P/ALTO	CFTR32W/GX24q/827	12	2700K	5 5/8	12,000	2400	2040	82
			26832-6	\$	PL-T 32W/830/4P/ALTO	CFTR32W/GX24q/830	12	3000K	5 5/8	12,000	2400	2040	82
			26833-4	\$	PL-T 32W/835/4P/ALTO	CFTR32W/GX24q/835	12	3500K	5 5/8	12,000	2400	2040	82
			26872-2	\$	PL-T 32W/841/4P/ALTO	CFTR32W/GX24q/841	12	4100K	5 5/8	12,000	2400	2040	82
42	PL-T	GX24q-4	38450-3	\$	PL-T 42W/827/4P/ALTO	CFTR42W/GX24q/827	12	2700K	6 3/8	12,000	3200	2720	82
			26873-0	\$	PL-T 42W/830/4P/ALTO	CFTR42W/GX24q/830	12	3000K	6 3/8	12,000	3200	2720	82
			26875-5	\$	PL-T 42W/835/4P/ALTO	CFTR42W/GX24q/835	12	3500K	6 3/8	12,000	3200	2720	82
			26876-3	\$	PL-T 42W/841/4P/ALTO	CFTR42W/GX24q/841	12	4100K	6 3/8	12,000	3200	2720	82

For the most current product information, go to [www.nam.lighting.philips.com/us/ecatalog/](http://www.nam.lighting.philips.com/us/ecatalog/)

Compact Fluorescent symbols and footnotes located on page 77

☐ This product utilizes ALTO® Lamp Technology




CFL

# COMPACT FLUORESCENT LAMPS

## Base Types and Bulb Shapes

### Base Types (Not Actual Sizes)



### Bulb Shapes (Not Actual Sizes)

